

Inhalation: Move to fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.

5. Fire Fighting Measures:

Suitable Extinguishing Media:Water spray - Dry Powder - FoamSpecial Fire Fighting Procedures:Use water spray to cool unopened containersUnusual Fire and Explosion HazardsHeating or fire can release toxic gas

6. Accidental Release Measures:

Use respirator when performing operations involving potential exposure to vapour of the product. Do not flush into surface water or sanitary sewer system. Contain spillage, and then collectw ith non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (see section 13).

7. Handling and Storage:

Handling: Avoid contact with skin and eyes. Provide sufficient air exchange and/or exhaust in work rooms.

Storage: To maintain product quality, do not store in heat or direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place

	place			
8.	Exposure Controls / Personal Protection: Exposure Limits: Ingredients Ethanol Exposure Controls: Engineering Controls: Personal Protective Equipment: Eye Protection: Tightly fitting safety goggles, face shield Skin Protection: Gloves, rubber or plastic boots Respiratory Protection: In the case of vapour formation us	CAS Number 64-17-5 e a respirator with an approved filte	Osha PEL 1,000 ppm	ACGIH TLV 1,000 ppm
9.	Physical and Chemical Properties:Physical State:LiquidAppearance:RedOdor:FreshSolubility:water solubleEvaporation Rate:NAVapor Pressure (MM HG):NAVapor Density (Air = 1):NA	 pH: 7.2 - 8.2 Specific Gravity (H2O = 1): NA Flammability: Not flammable Flash Point: >199.9°F (>93.3°C) Boiling Point: NA %volatile: >75% 		
10.	Stability and Reactivity: Chemical Stability: Stable Possibility of Hazardous Reactions: None are known Incompatability (Materials to Avoid): Strong oxidizing agents, reducing agents Hazardous Decomposition or By-products: Nitrogen oxides, amines, hydrogen chloride gas, carbon oxides Hazardous Polymerization: Will not occur Conditions to Avoid: None are known			
11.	Toxicological Information:Signs and Symptoms of Overexposure:Causes severe skin beAcute Effects:Eye Contact:Severe Eye damage can result from direct contaSkin Contact:Causes severe skin burns.Inhalation:Vapor may be harmfulIngestion:May be harmful if swallowedTarget Organ Effects:None knownChronic Effects:None knownAcute Toxicity Values:Oral LD 50 = > 5000 mg/kgDermal LD 50 = > 5000 mg/kgInhalation (Vapor) LC 50 = > 5000 mg/kg	ourns and eye damage. act.		
12.	Ecological Information: Persistence and Degradability: Not available Bio Accumulative Potential: Not available Mobility in Soil: Not available Aquatic Toxicity: Not available			
13.	Disposal Considerations: Dispose of in accordance with local regulations.			
14.	Transportation Information:UN Number:UN1903Shipping Name:Disinfectant,Liquid, Corrosive, N.O.S.Transport Hazard Class:8Packing Group:IIIMarine Pollutant:NO			

902850 256 Century Q

15. Regulatory Information:

TSCA Status: All ingredients listed Clean Water Act: None of the chemicals in this product are listed under the CWA Clean Air Act: None of the chemicals in this product are listed under the CAA CERCLA Reportable Quantity: None SARA Title III Information: Section 302 Extremely Hazardous Chemicals: None Listed Section 311 / 312 Hazard Category: Immediate Health

Section 313 Toxic Chemicals: None Listed

 State Regulations:
 None

 International Regulations:
 WHMIS Controlled Product Hazard Class: D2B

16. Other Information:

Prepared By:Marie GoldenTelephone Number:651-481-1900Revision Date:10/30/2014Supersedes:10/30/2014

The information contained herein is based on data considered accurate; however no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. The company assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.



